CANADIAN GEOTECHNICAL JOURNAL/REVUE CANADIENNE DE GÉOTECHNIQUE
VOLUME 11, 1974
AUTHOR INDEX/RÉPERTOIRE DES AUTEURS

Alpan, I. *See* Frydman, S.
Attewell, P. B., and Farmer, I. W. Clay deformations resulting from shield tunnelling in London clay, 380–395.
Baguelin, F., Jezequel, J. F. et Le Mehaute, A. Le perméamètre autoforeur, 624–628.
Ballivy, G. *See* Durand, M.
Barden, L. *See* McGown, A.
Bauer, G. E. A. *See* Baumann, V.
Baumann, V., and Bauer, G. E. A. The performance of foundations on various soils stabilized by the vibro-compaction method, 509–530.
Berard, J. *See* Durand, M.
Bhaskaran, R. An artificial material for simulating Champlain clays: Discussion, 315.
Bliss, L. C. *See* Haag, R. W.
Boman, P. *See* Holtz, R. D.
Brown, P. T., and Gibson, R. E. Erratum: Surface settlement of a deep elastic stratum whose modulus increases linearly with depth, 222.
Burt, T. P. *See* Williams, P. J.
Campanella, R. G., and Vaid, Y. P. Triaxial and plane strain creep rupture of an undisturbed clay, 1–10.
Chapeau, C. *See* Tavenas, F. A.
Chapuis, R. *See* Marche, R.
Dodds, R. B., and Ganapathy, G. V. Study of bridge foundation performance under dynamic loading, 409–419.
Drouin, M. *See* Michel, B.
Dubnie, A. Explosives for North American engineers: Book Review, 667.
Durand, M. et Ballivy, G. Particularités rencontrées dans la région de Montréal résultant de l'arrachement d'écailles de roc par la glaciation, 302–306.
Durand, M. et Berard, J. Réactivité de roches carbonatées aux alcalis du ciment, 248–256.
Eden, W. J., McRostie, G. C., and Hall, J. S. Measured contact pressure below raft supporting a stiff building: Closure, 443–444.
Eden, W. J. *See* Gillott, J. E.
Eisenstein, Z. *See* Krishnayya, A. V. G.
Elgohary, M. M. *See* Wilson, N. E.
Elsammy, M. K. Evaluation of the elasticity of clay soils: Reply, 439–440.
Farmer, I. W. *See* Attewell, P. B.
Flaate, K., and Preber, T. Stability of road embankments in soft clay, 72–88.
Fletcher, E. B. Evaluation of the elasticity of clay soils: Discussion, 438–439.
Frederking, R. Downdrag loads developed by a floating ice cover: Field experiments, 339–347.
Freeman, W. S., and Sutherland, H. B. Slope stability analysis in anisotropic Winnipeg clays, 59–71.
Frydman, S., Zeitlen, J. G., and Alpan, I. The yielding behavior of particulate media: Reply, 441.
Frydman, S., Zeitlen, J. G., and Alpan, I. The yielding behavior of particulate media: Closure, 442–443.
Ganapathy, G. V. *See* Dodds, R. B.
Garneau, R., and Samson, L. A device for the constant rate of penetration test for piles, 298–302.
Gibson, R. E. *See* Brown, P. T.
Gillott, J. E., Penner, E., and Eden, W. J. Microstructure of Billings shale and biochemical alteration products, Ottawa, Canada, 482–489.
Graham, J. Plasticity solutions to stability problems in sand, 238–247.
Greenwood, J. R. *See* Wilson, N. E.
Haag, R. W., and Bliss, L. C. Functional effects of vegetation on the radiant energy budget of boreal forest, 374–379.
Hall, J. S. *See* Eden, W. J.

CANADIAN GEOTECHNICAL JOURNAL/REVUE CANADIENNE DE GÉOTECHNIQUE
VOLUME 11, 1974
AUTHOR INDEX/RÉPERTOIRE DES AUTEURS

Alpan, I. *See* Frydman, S.
Attewell, P. B., and Farmer, I. W. Clay deformations resulting from shield tunnelling in London clay, 380–395.
Baguelin, F., Jezequel, J. F. et Le Mehaute, A. Le perméamètre autoforeur, 624–628.
Ballivy, G. *See* Durand, M.
Barden, L. *See* McGown, A.
Bauer, G. E. A. *See* Baumann, V.
Baumann, V., and Bauer, G. E. A. The performance of foundations on various soils stabilized by the vibro-compaction method, 509–530.
Berard, J. *See* Durand, M.
Bhaskaran, R. An artificial material for simulating Champlain clays: Discussion, 315.
Bliss, L. C. *See* Haag, R. W.
Boman, P. *See* Holtz, R. D.
Brown, P. T., and Gibson, R. E. Erratum: Surface settlement of a deep elastic stratum whose modulus increases linearly with depth, 222.
Burt, T. P. *See* Williams, P. J.
Campanella, R. G., and Vaid, Y. P. Triaxial and plane strain creep rupture of an undisturbed clay, 1–10.
Chapeau, C. *See* Tavenas, F. A.
Chapuis, R. *See* Marche, R.
Dodds, R. B., and Ganapathy, G. V. Study of bridge foundation performance under dynamic loading, 409–419.
Drouin, M. *See* Michel, B.
Dubnie, A. Explosives for North American engineers: Book Review, 667.
Durand, M. et Ballivy, G. Particularités rencontrées dans la région de Montréal résultant de l'arrachement d'écailles de roc par la glaciation, 302–306.
Durand, M. et Berard, J. Réactivité de roches carbonatées aux alcalis du ciment, 248–256.
Eden, W. J., McRostie, G. C., and Hall, J. S. Measured contact pressure below raft supporting a stiff building: Closure, 443–444.
Eden, W. J. *See* Gillott, J. E.
Eisenstein, Z. *See* Krishnayya, A. V. G.
Elgohary, M. M. *See* Wilson, N. E.
Elsammy, M. K. Evaluation of the elasticity of clay soils: Reply, 439–440.
Farmer, I. W. *See* Attewell, P. B.
Flaate, K., and Preber, T. Stability of road embankments in soft clay, 72–88.
Fletcher, E. B. Evaluation of the elasticity of clay soils: Discussion, 438–439.
Frederking, R. Downdrag loads developed by a floating ice cover: Field experiments, 339–347.
Freeman, W. S., and Sutherland, H. B. Slope stability analysis in anisotropic Winnipeg clays, 59–71.
Frydman, S., Zeitlen, J. G., and Alpan, I. The yielding behavior of particulate media: Reply, 441.
Frydman, S., Zeitlen, J. G., and Alpan, I. The yielding behavior of particulate media: Closure, 442–443.
Ganapathy, G. V. *See* Dodds, R. B.
Garneau, R., and Samson, L. A device for the constant rate of penetration test for piles, 298–302.
Gibson, R. E. *See* Brown, P. T.
Gillott, J. E., Penner, E., and Eden, W. J. Microstructure of Billings shale and biochemical alteration products, Ottawa, Canada, 482–489.
Graham, J. Plasticity solutions to stability problems in sand, 238–247.
Greenwood, J. R. *See* Wilson, N. E.
Haag, R. W., and Bliss, L. C. Functional effects of vegetation on the radiant energy budget of boreal forest, 374–379.
Hall, J. S. *See* Eden, W. J.

Hasegawa, H. S. Theoretical synthesis and analysis of strong motion spectra of earthquakes, 278–297.
Holt, R. T. *See* Loh, A. K.
Holtz, D. and Boman, P. A new technique for reduction of excess pore pressures during pile driving, 423–430.
Holzer, T. L. Excess pore pressures during undrained clay creep: Reply, 216–217.
Jamal, A. K. The yielding behavior of particulate media: Discussion, 316–318.
Jezequel, J. F. *See* Baguelin, F.
Johnston, G. H., and Ladanyi, B. Field tests of deep power-installed screw anchors in permafrost, 348–358.
Johnston, G. H. *See* Ladanyi, B.
Kenney, T. C. Embankment-dam engineering: Book Review, 218–220.
Kenney, T. C., and Uddin, S. Critical period for stability of an excavated slope in clay soil, 620–623.
Klym, T. W. *See* Radhakrishna, H. S.
Komornik, A., and Mazurik, A. Interaction of superstructure–soil under restrained settling, 470–481.
Krishnayya, A. V. G., and Eisenstein, Z. Brazilian tensile test for soils, 632–642.
Ladanyi, B. Prediction of foundation deformations in Edmonton using an *in situ* pressure probe: Discussion, 215–216.
Ladanyi, B. *See* Johnston, G. H.
Ladanyi, B., and Johnston, G. H. Behavior of circular footings and plate anchors embedded in permafrost, 531–553.
La Rochelle, P. *See* Lefebvre, G.
La Rochelle, P. *See* Tavenas, F. A.
La Rochelle, P., Trak, B., Tavenas, F., and Roy, M. Failure of a test embankment on a sensitive Champlain clay deposit, 142–164.
Lee, C. F. *See* Lo, K. Y.
Lee, S. H. *See* McGown, A.
Lefebvre, G., and La Rochelle, P. The analysis of two slope failures in cemented Champlain clays, 89–108.
Lefebvre, G., Lefebvre, L. M., and Rosenberg, P. Behavior of a cemented plastic clay as an embankment foundation, 46–58.
Lefebvre, L. M. *See* Lefebvre, G.
Lefebvre, L. M. *See* Michel, B.
Le Mehaute, A. *See* Baguelin, F.
Lo, K. Y., and Lee, C. F. An evaluation of the stability of natural slopes in plastic Champlain clays, 165–181.
Lo, K. Y., and Lee, C. F. An evaluation of the stability of natural slopes in plastic Champlain clays: Closure, 663–665.
Loh, A. K., and Holt, R. T. Directional variation in undrained shear strength and fabric of Winnipeg upper brown clay, 430–437.
Lorant, F. I. Guide to bridge hydraulics: Book Review, 320.
Mackay, J. R. Reticulate ice veins in permafrost, northern Canada, 230–237.
Marche, R. et Chapuis, R. Contrôle de la stabilité des remblais par la mesure des déplacements horizontaux, 182–201.
Markell, A. R. *See* Mitchell, R. J.
Matich, M. A. J. Man and the sea: Book Review, 220–221.
Mazurik, A. *See* Komornik, A.
McGown, A., Barden, L., Lee, S. H., and Wilby, P. Sample disturbance in soft alluvial Clyde Estuary clay, 651–660.
McRoberts, E. C., and Morgenstern, N. R. The stability of thawing slopes, 447–469.
McRoberts, E. C., and Morgenstern, N. R. Stability of slopes in frozen soil, Mackenzie Valley, N.W.T., 554–573.
McRostie, G. C. *See* Eden, W. J.
Meneley, W. A. Blackstrap Lake ice cover parking lot, 490–508.
Meyerhof, G. G. Ultimate bearing capacity of footings on sand layer overlying clay, 223–229.
Meyerhof, G. G. Immediate settlements of three test embankments on Champlain clay: Discussion, 440–441.
Meyerhof, G. G. Foundation engineering for difficult subsoil conditions: Book Review, 445.
Michel, B., Drouin, M., Lefebvre, L. M., Rosenberg, P., and Murray, R. Ice bridges of the James Bay project, 599–619.
Mitchell, R. J. An evaluation of the stability of natural slopes in plastic Champlain clays: Discussion 662–663.
Mitchell, R. J., and Markell, A. R. Flowslides in sensitive soils, 11–31.
Morgenstern, N. R. *See* McRoberts, E. C.
Morgenstern, N. R. *See* Nixon, J. F.

Murray, R. *See* Michel, B.
Nagaraj, T. S., and Somashekar, B. V. The failure criteria for soils, 628–632.
Nixon, J. F., and Morgenstern, N. R. Thaw–consolidation tests on undisturbed fine-grained permafrost, 202–214.
Novak, M. Dynamic stiffness and damping of piles, 574–598.
Ogunbadejo, T. A., and Quigley, R. M. Compaction of weathered clays near Sarnia, Ontario, 642–647.
Penner, E. Uplift forces on foundations in frost heaving soils, 323–338.
Penner, E. *See* Gillott, J. E.
Preber, T. *See* Flaate, K.
Purushothamaraj, P., Ramiah, B. K., and Rao, K. N. V. Bearing capacity of strip footings in two layered cohesive-friction soils, 32–45.
Quigley, R. M. *See* Ogunbadejo, T. A.
Radhakrishna, H. S., and Klym, T. W. Geotechnical properties of a very dense glacial till, 396–408.
Ramiah, B. K. *See* Purushothamaraj, P.
Rao, K. N. *See* Purushothamaraj, P.
Raymond, G. P., and Soh, K. K. Making rubber membranes: Discussion, 661.
Rosenberg, P. *See* Lefebvre, G.
Rosenberg, P. *See* Michel, B.
Roy, M. *See* La Rochelle, P.
Roy, M. *See* Tavenas, F. A.
Sakthivadivel, R. *See* Thanikachalam, V.
Samson, L. *See* Garneau, R.
Sauer, E. K. Geotechnical implication of Pleistocene deposits in southern Saskatchewan, 359–373.
Soh, K. K. *See* Raymond, G. P.
Somashekar, B. V. *See* Nagaraj, T. S.
Sutherland, H. B. *See* Freeman, W. S.
Tavenas, F. La stabilité de remblais sur sols mous—abaques de calcul: Book Review, 321.
Tavenas, F. A., Chapeau, C., La Rochelle, P., and Roy, M. Immediate settlements of three test embankments on Champlain clay, 109–141.
Tavenas, F. A., Chapeau, C., La Rochelle, P., and Roy, M. Immediate settlements of three test embankments on Champlain clay: Closure 665–666.
Tavenas, F. *See* La Rochelle, P.
Thanikachalam, V., and Sakthivadivel, R. Rational design criteria for protective filters, 309–314.
Tinoco, F. H. The yielding behavior of particulate media: Discussion, 318–319.
Trak, B. *See* La Rochelle, P.
Trow, W. A. Temporary and permanent earth anchors: Three monitored intallations, 257–268.
Uddin, S. *See* Kenney, T. C.
Vaid, Y. P., and Campanella, R. G. Making rubber membranes: Closure, 662.
Vaid, Y. P. *See* Campanella, R. G.
Wilby, P. *See* McGown, A.
Williams, P. J., and Burt, T. P. Measurement of hydraulic conductivity of frozen soils, 647–650.
Wilson, G. Accurate measurement of displacement, 306–309.
Wilson, N. E., and Elgohary, M. M. Consolidation of soils under cyclic loading, 420–423.
Wilson, N. E., and Greenwood, J. R. Pore pressures and strains after repeated loading of saturated clay, 269–277.
Zeitlen, J. G. *See* Frydman, S.

SUBJECT INDEX / RÉPERTOIRE DES SUJETS[1]

A. General

02. *Historical Aspects*
Man and the sea: Book Review. Matich, M. A. J., 220.

04. *Textbooks, Handbooks, and Geotechnical Periodicals*
Embankment-dam engineering: Book Review. Kenney, T. C., 218.
Guide to bridge hydraulics: Book Review. Lorant, F. I., 320.
La stabilité des remblais sur sols mousabaques de calcul: Critique de livre. Tavenas, F., 321.
Foundation engineering for difficult subsoil conditions: Book Review. Meyerhof, G. G., 445.
Explosives for North American engineers: Book Review. Dubnie, A., 667.

B. Engineering Geology

01. *Soil Formation*
Geotechnical implications of Pleistocene deposits in southern Saskatchewan. Sauer, E. K., 359.

02. *Groundwater*
Particularités rencontrées dans la région de Montréal résultant de l'arrachement d'écailles de roc par la glaciation. Durand, M. et Ballivy, G., 302.

03. *Mass Movement and Subsidence*
Flowsides in sensitive soils. Mitchell, R. J. and Markell, A. R., 11.
The stability of thawing slopes. McRoberts, E. C. and Morgenstern, N. R., 447.
Stability of slopes in frozen soil, Mackenzie Valley, N.W.T. McRoberts, E. C. and Morgenstern, N. R., 554.

05. *Permafrost and Frozen Ground*
Reticulate ice veins in permafrost, northern Canada. Mackay, J. R., 230.
Functional effects of vegetation on the radiant energy budget of boreal forest. Haag, R. W. and Bliss, L. C., 374.

10. *Mineralogy and Petrology*
Microstructure of Billings shale and biochemical alteration products, Ottawa, Canada. Gillott, J. E., Penner, E., and Eden, W. J., 482.

C. Site Investigation

06. *Sampling, Handling of Samples*
Geotechnical properties of a very dense glacial till. Radhakrishna, H. S. and Klym, T. W., 396.
Sample disturbance in soft alluvial Clyde Estuary clay. McGown, A., Barden, L., Wilby, P., and Lee, S. H., 651.

07. *Measurement and Field Conditions*
Accurate measurements of displacement. Wilson, G., 306.
Le permeametre autoforeur. Baquelin, F., Jezequel, J. F. et Le Mehaute, A., 624.

08. *Field Testing*
A device for the constant rate of penetration test for piles. Garneau, R. and Samson, L., 298.

[1]Based on the International Geotechnical Classification System (IGC) approved in 1969 by the International Society for Soil Mechanics and Foundation Engineering. Permission to use this classification system is gratefully acknowledged.

D. Soil Properties: Laboratory and Field Determinations

00. *General*

Making rubber membranes: Discussion. Raymond, G. P. and Soh, K. K., 661.
Making rubber membranes: Closure. Vaid, Y. P. and Campanella, R. G., 662.

04. *Permeability and Capillarity*

La permeametre autoforeur. Baquelin, F., Jezequel, J. F. et Le Mehaute, A., 624.
Measurement of hydraulic conductivity of frozen soils. William, P. J. and Burt, T. P., 647.

05. *Compressibility*

Thaw–consolidation tests on undisturbed fine-grained permafrost. Nixon, J. F. and Morgenstern, N. R., 202.
Prediction of foundation deformations in Edmonton, Alberta: Discussion. Ladanyi, B., 215.
Pore pressures and strains after repeated loading of saturated clay. Wilson, N. E., and Greenwood, J. R., 269.

06. *Shear-deformation and Strength Properties*

Triaxial and plane strain creep rupture of an undisturbed clay. Campanella, R. G. and Vaid, Y. P., 1.
Behavior of a cemented plastic clay as an embankment foundation. Lefebvre, G., Lefebvre, L. M., and Rosenberg, O., 46.
Slope stability analysis in anisotropic Winnipeg clays. Freeman, W. S. and Sutherland, H. B., 59.
The analysis of two slope failures in cemented Champlain clays. Lefebvre, G. and La Rochelle, P., 89.
Excess pore pressures during undrained clay creep: Reply. Holzer, T. L., 216.
Pore pressures and strains after repeated loading of saturated clay. Wilson, N. E. and Greenwood, J. R., 269.
The yielding behavior of particulate media: Discussion. Jamal, A. K., 316.
The yielding behavior of particulate media: Discussion. Tinoco, F. H., 318.
Geotechnical properties of a very dense glacial till. Radhakrishna, H. S. and Klym, T. W., 396.
Directional variation in undrained shear strength and fabric of Winnipeg upper brown clay. Loh, A. K. and Holt, R. T., 430.
Evaluation of the elasticity of clay soils: Discussion. Fletcher, E. B., 438.
Evaluation of the elasticity of clay soils: Reply. Elsammy, M. K., 439.
The yielding behavior of particulate media: Reply. Frydman, S., Zeitlen, J. G., and Alpan, I., 441.
The yielding behavior of particulate media: Closure. Frydman, S., Zeitlen, J. G., and Alpan, I., 442.
The failure criteria for soils. Nagaraj, T. S. and Somashekar, B. V., 628.
Brazilian tensile test for soils. Krishnayya, A. V. G. and Eisenstein, Z., 632.
Sample disturbance in soft alluvial Clyde Estuary clay. McGown, A., Barden, L., Wilby, P., and Lee, S. H., 651.

08. *Thermal Properties*

Thaw–consolidation tests on undisturbed fine-grained permafrost. Nixon, J. F. and Morgenstern, N. R., 202.
Uplift forces on foundations in frost heaving soils. Penner, E., 323.

09. *Compactibility*

Compaction of weathered clays near Sarnia, Ontario. Ogunbadejo, T. A. and Quigley, R. M., 642.

10. *Properties of Soil–Additive Mixtures*

An artificial material for simulating Champlain clays: Discussion. Bhaskaran, R., 315.

E. Analysis of Soil-engineering Problems

01. *In Situ Stresses Caused by Gravity and Applied Loads and Excavations*

Erratum: Surface settlement of a deep elastic stratum whose modulus increases linearly with depth. Brown, P. T. and Gibson, R. E., 222.
Measured contact pressure below raft supporting a stiff building: Closure. Eden, W. J., McRostie, G. C., and Hall, J. S., 443.

02. *Deformation and Settlement Problems*
Immediate settlements of three test embankments on Champlain clay. Tavenas, F. A., Chapeau, C., La Rochelle, P., and Roy, M., 109.
Prediction of foundation deformations in Edmonton, Alberta. Discussion. Ladanyi, B., 215.
Erratum: Surface settlement of a deep elastic stratum whose modulus increases linearly with depth. Brown, P. T. and Gibson, R. E., 222.
Consolidation of soils under cyclic loading. Wilson, N. E. and Elgohary, M. M., 420.
Immediate settlements of three test embankments on Champlain clay: Discussion. Meyerhof, G. G., 440.
Interaction of superstructure–soil under restrained settling. Komornik, A. and Mazurik, A., 470.
Immediate settlements of three test embankments on Champlain clay: Closure. Tavenas, F. A., Chapeau, C., La Rochelle, P., and Roy, M., 665.

03. *Bearing Capacity of Soils*
Bearing capacity of strip footings in two layered cohesive-friction soils. Purushothamaraj, P., Ramiah, B. K., and Venkatakrishna, Rao, 32.
Behavior of a cemented plastic clay as an embankment foundation. Lefebvre, G., Lefebvre, L. M., and Rosenberg, O., 46.
Ultimate bearing capacity of footings on sand layer overlying clay. Meyerhof, G. G., 223.
Plasticity solutions to stability problems in sand. Graham, J., 238.
Behavior of circular footings and plate anchors embedded in permafrost. Ladanyi, B. and Johnston, G. H., 531.

04. *Bearing Capacity of Piles*
Field tests of deep power-installed screw anchors in permafrost. Johnston, G. H. and Ladanyi, B., 348.

05. *Earth Pressure Problems*
Plasticity solutions to stability problems in sand. Graham, J., 238.

06. *Stability of Slopes, Cuts, and Excavations*
Flowslides in sensitive soils. Mitchell, R. J. and Markell, A. R., 11.
Slope stability analysis in anisotropic Winnipeg clays. Freeman, W. S. and Sutherland, H. B. 59.
Stability of road embankments in soft clay. Flaate, K. and Preber, T., 72.
The analysis of two slope failures in cemented Champlain clays. Lefebvre, G. and La Rochelle, P., 89.
Failure of a test embankment on a sensitive Champlain clay deposit. La Rochelle, P., Trak, B., Tavenas, F., and Roy, M., 142.
An evaluation of the stability of natural slopes in plastic Champlain clays. Lo, K. Y. and Lee, C. F., 165.
Contrôle de la stabilité des remblais par la mesure des déplacements horizontaux. Marche, R. et Chapuis, R., 182.
The stability of thawing slopes. McRoberts, E. C. and Morgenstern, N. R., 447.
Critical period for stability of an excavated slope in clay soil. Kenney, T. C. and Uddin, S., 620.
Stability of slopes in frozen soil, Mackenzie Valley, N.W.T. McRoberts, E. C. and Morgenstern, N. R., 554.
An evaluation of the stability of natural slopes in plastic Champlain clays: Discussion. Mitchell, R. J., 662.
An evaluation of the stability of natural slopes in plastic Champlain clays: Closure. Lo, K. Y. and Lee, C. F., 663.

07. *Seepage and Other Hydraulic Problems*
Rational design criteria for protective filters. Thanikachalan, V. and Sakthivadivel, R., 312.

08. *Dynamic Problems*
Theoretical synthesis and analysis of strong motion spectra of earthquakes. Hasegawa, H. S., 278.
Dynamic stiffness and damping of piles. Novak, M., 574.

09. *Frost Action and Heat-transfer Problems*
Uplift forces on foundations in frost heaving soils. Penner, E., 323.

F. Rock Properties; Laboratory and Field Determinations

05. *Compressibility and Swelling*
Réactivité de roches carbonatées aux alcalis du cement. Durand, M. et Berard, J., 248.

G. Analysis of Rock-Engineering Problems

04. *Stability of Slopes, Excavations, and Openings*
Particuliarités rencontrées dans la région de Montréal résultant de l'arrachement d'écailles de roc par la glaciation. Durand, M. et Ballivy, G., 302.

H. Design, Construction, and Behavior of Engineering Works

01. *Foundations of Structures*
Prediction of foundation deformations in Edmonton, Alberta: Discussion, Ladanyi, B., 215.
Study of bridge foundation performance under dynamic loading. Dodds, R. B. and Ganapathy, G. V., 409.
A new technique for reduction of excess pore pressures during pile driving. Holtz, R. D. and Boman, P., 423.
Measured contact pressure below raft supporting a stiff building: Closure. Eden, W. J., McRostie, G. C., and Hall, J. S., 443.

02. *Retaining Structures and Cutoff Walls*
Temporary and permanent earth anchors: Three monitored installations. Trow, W. A., 257.

04. *Earthworks, Embankments, Fills, and Dams*
Behavior of a cemented plastic clay as an embankment foundation. Lefebvre, G., Lefebvre, L. M., and Rosenberg, O., 46.
Stability of road embankments in soft clay. Flaate, K. and Preber, T., 72.
Immediate settlements of three test embankments on Champlain clay. Tavenas, F. A., Chapeau, C., La Rochelle, P., and Roy, M., 109.
Failure of a test embankment on a sensitive Champlain clay deposit. La Rochelle, P., Trak, B., Tavenas, F., and Roy, M., 142.
An evaluation of the stability of natural slopes in plastic Champlain clays. Lo, K. Y. and Lee, C. F., 165.
Contrôle de la stabilité des remblais par la mesure des déplacements horizontaux. Marche, R. et Chapuis, R., 182.
Immediate settlements of three test embankments on Champlain clay: Discussion. Meyerhof, G. G., 440.
Immediate settlements of three test embankments on Champlain clay: Closure. Tavenas, F. A., Chapeau, C., La Rochelle, P., and Roy, M., 665.
An evaluation of the stability of natural slopes in plastic Champlain clays: Discussion. Mitchell, R. J., 662.
An evaluation of the stability of natural slopes in plastic Champlain clays: Closure. Lo, K. Y. and Lee, C. F., 663.

05. *Underground Structures*
Clay deformations resulting from shield tunneling in London clay. Attewell, P. B. and Farmer, I. W., 380.

K. Construction Methods and Equipment

05. *Compaction*
The performance of foundations on various soils stabilized by the vibro-compaction method. Baumann, V. and Bauer, G. E. A., 509.

06. *Soil Stabilization*
The performance of foundations on various soils stabilized by the vibro-compaction method. Baumann, V. and Bauer, G. E. A., 509.

11. *Anchorages, Tied-back Walls, Reinforcement Linings, and Other Supports of Soil and Rock*
Temporary and permanent earth anchors: Three monitored installations. Trow, W. A., 257.
Field tests of deep power-installed screw anchors in permafrost. Johnston, G. H. and Ladanyi, B., 348.

S. Snow and Ice Mechanics and Engineering

01. *Snow and Ice Cover*
Downdrag loads developed by a floating ice cover: Field experiments. Frederking, R., 339.
Blackstrap Lake ice cover parking lot. Meneley, W. A., 490

Ice bridges of the James Bay project. Michel, B., Drouin, M., Lefebvre, L. M., Rosenberg, P., and Murray, R., 599.

03. *Snow and Ice Engineering*

Blackstrap Lake ice cover parking lot. Meneley, W. A., 490.

Ice bridges of the James Bay project. Michel, B., Drouin, M., Lefebvre, L. M., Rosenberg, P., and Murray, R., 599.

Canadian Geotechnical Journal

Revue canadienne de géotechnique

Volume 11 • 1974

Editor / Directeur scientifique

A. G. STERMAC

Published by the
National Research Council
of Canada

Publiée par le
Conseil national de recherches
du Canada

CONTENTS / SOMMAIRE

FEBRUARY/FÉVRIER

ARTICLES:

R. G. Campanella and Y. P. Vaid Triaxial and plane strain creep rupture of an undisturbed clay 1
R. J. Mitchell and A. R. Markell Flowslides in sensitive soils 11
P. Purushothamaraj, B. K. Ramiah, and K. N. Venkatakrishna Rao Bearing capacity of strip footings in two layered cohesive-friction soils 32
G. Lefebvre, L. M. Lefebvre, and O. Rosenberg Behavior of a cemented plastic clay as an embankment foundation 46
W. S. Freeman and H. B. Sutherland Slope stability analysis in anisotropic Winnipeg clays 59
K. Flaate and T. Preber Stability of road embankments in soft clay 72
G. Lefebvre and P. La Rochelle The analysis of two slope failures in cemented Champlain clays 89
F. A. Tavenas, C. Chapeau, P. La Rochelle, and M. Roy Immediate settlements of three test embankments on Champlain clay 109
P. La Rochelle, B. Trak, F. Tavenas, and M. Roy Failure of a test embankment on a sensitive Champlain clay deposit 142
K. Y. Lo and C. F. Lee An evaluation of the stability of natural slopes in plastic Champlain clays 165
R. Marche et R. Chapuis Contrôle de la stabilité des remblais par la mesure des déplacements horizontaux 182
J. F. Nixon and N. R. Morgenstern Thaw–consolidation tests on undisturbed fine-grained permafrost 202

DISCUSSIONS:

B. Ladanyi Prediction of foundation deformations in Edmonton using an *in situ* pressure probe: Discussion 215
T. L. Holzer Excess pore pressures during undrained clay creep: Reply 216

BOOK REVIEWS/CRITIQUE DES LIVRES:

T. C. Kenney Embankment-dam engineering 218
M. A. J. Matich Man and the sea 220

ERRATUM:

P. T. Brown and R. E. Gibson Erratum: Surface settlement of a deep elastic stratum whose modulus increases linearly with depth 222

MAY/MAI

ARTICLES:

G. G. Meyerhof Ultimate bearing capacity of footings on sand layer overlying clay 223
J. R. Mackay Reticulate ice veins in permafrost, northern Canada 230
J. Graham Plasticity solutions to stability problems in sand 238
M. Durand et J. Berard Réactivité de roches carbonatées aux alcalis du ciment 248
W. A. Trow Temporary and permanent earth anchors: Three monitored installations 257
N. E. Wilson and J. R. Greenwood Pore pressures and strains after repeated loading of saturated clay 269
H. S. Hasegawa Theoretical synthesis and analysis of strong motion spectra of earthquakes 278

TECHNICAL NOTES/NOTES TECHNIQUES

R. Garneau and L. Samson A device for the constant rate of penetration test for piles 298
M. Durand et G. Ballivy Particuliarités rencontrées dans la région de Montréal résultant de l'arrachement d'écailles de roc par la glaciation 302
G. Wilson Accurate measurement of displacement 306
V. Thanikachalam and R. Sakthivadivel Rational design criteria for protective filters 312

DISCUSSIONS:

R. Bhaskaran An artificial material for simulating Champlain clays: Discussion 315
A. K. Jamal The yielding behavior of particulate media: Discussion 316
F. H. Tinoco The yielding behavior of particulate media: Discussion 318

BOOK REVIEWS/CRITIQUE DES LIVRES:
F. I. Lorant Guide to bridge hydraulics 320
F. Tavenas La stabilité des remblais sur sols mous—abaques de calcul 321

AUGUST/AOÛT

ARTICLES:
E. Penner Uplift forces on foundations in frost heaving soils 323
R. Frederking Downdrag loads developed by a floating ice cover: Field experiments 339
G. H. Johnston and B. Ladanyi Field tests of deep power-installed screw anchors in permafrost 348
E. K. Sauer Geotechnical implications of Pleistocene deposits in southern Saskatchewan 359
R. W. Haag and L. C. Bliss Functional effects of vegetation on the radiant energy budget of boreal forest 374
P. B. Attewell and I. W. Farmer Clay deformations resulting from shield tunnelling in London clay 380
H. S. Radhakrishna and T. W. Klym Geotechnical properties of a very dense glacial till 396
R. B. Dodds and G. V. Ganapathy Study of bridge foundation performance under dynamic loading 409

TECHNICAL NOTES/NOTES TECHNIQUES:
N. E. Wilson and M. M. Elgohary Consolidation of soils under cyclic loading 420
R. D. Holtz and P. Boman A new technique for reduction of excess pore pressures during pile driving 423
A. K. Loh and R. T. Holt Directional variation in undrained shear strength and fabric of Winnipeg upper brown clay 430

DISCUSSIONS:
E. B. Fletcher Evaluation of the elasticity of clay soils: Discussion 438
M. K. Elsammy Evaluation of the elasticity of clay soils: Reply 439
G. G. Meyerhof Immediate settlements of three test embankments on Champlain clay: Discussion 440
S. Frydman, J. G. Zeitlen, and I. Alpan The yielding behavior of particulate media: Reply 441
S. Frydman, J. G. Zeitlen, and I. Alpan The yielding behavior of particulate media: Closure 442
W. J. Eden, G. C. McRostie, and J. S. Hall Measured contact pressure below raft supporting a stiff building: Closure 443

BOOK REVIEW/CRITIQUE DE LIVRE:
G. G. Meyerhof Foundation engineering for difficult subsoil conditions 445

NOVEMBER/NOVEMBRE

ARTICLES:
E. C. McRoberts and N. R. Morgenstern The stability of thawing slopes 447
A. Komornik and A. Mazurik Interaction of superstructure–soil under restrained settling 470
J. E. Gillot, E. Penner, and W. J. Eden Microstructure of Billings shale and biochemical alteration products, Ottawa, Canada 482
W. A. Meneley Blackstrap Lake ice cover parking lot 490
V. Baumann and G. E. A. Bauer The performance of foundations on various soils stabilized by the vibrocompaction method 509
B. Ladanyi and G. H. Johnston Behavior of circular footings and plate anchors embedded in permafrost 531
E. C. McRoberts and N. R. Morgenstern Stability of slopes in frozen soil, Mackenzie Valley, N.W.T. 554
M. Novak Dynamic stiffness and damping of piles 574
B. Michel, M. Drouin, L. M. Lefebvre, P. Rosenberg, and R. Murray Ice bridges of the James Bay project 599

TECHNICAL NOTES/NOTES TECHNIQUES:
T. C. Kenney and S. Uddin Critical period for stability of an excavated slope in clay soil 620
F. Baguelin, J. F. Jezequel, and A. Le Mehaute Le perméamètre autoforeur 624
T. S. Nagaraj and B. V. Somashekar The failure criteria for soils 628
A. V. G. Krishnayya and Z. Eisenstein Brazilian tensile test for soils 632
T. A. Ogunbadejo and R. M. Quigley Compaction of weathered clays near Sarnia, Ontario 642
P. J. Williams and T. P. Burt Measurement of hydraulic conductivity of frozen soils 647
A. McGown, L. Barden, S. H. Lee, and P. Wilby Sample disturbance in soft alluvial Clyde Estuary clay 651

DISCUSSIONS:
G. P. Raymond and K. K. Soh Making rubber membranes: Discussion 661
Y. P. Vaid and R. G. Campanella Making rubber membranes: Closure 662
R. J. Mitchell An evaluation of the stability of natural slopes in plastic Champlain clays: Discussion 662
K. Y. Lo and C. F. Lee An evaluation of the stability of natural slopes in plastic Champlain clays: Closure 663
F. A. Tavenas, C. Chapeau, P. La Rochelle, and M. Roy Immediate settlements of three test embankments on Champlain clay: Closure 665

BOOK REVIEW/CRITIQUE DE LIVRE:
A. Dubnie Explosives for North American engineers 667

Author Index 668
Subject Index 671
Contents of Volume 11 iii